

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4	((73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase)	USPAT	OR	ON	2005/01/21 10:13
L4	4	((73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase)	USPAT	OR	ON	2005/01/21 11:29
L5	5	((("73"/\$ and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase adj difference)	USPAT	OR	ON	2005/01/21 11:01
L6	40	("73"/\$.ccls. and (sensor with (mass adj load\$3))) and (resonant adj frequenc\$3)	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:30
L7	0	6 and (fixed adj phase adj difference)	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:33
L8	0	6 and (fixed near3 (phase adj difference))	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:31
L9	1	6 and (constant near3 (phase adj difference))	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:31
L10	11	(resonant adj frequency) same (fixed adj phase adj difference)	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:34
L11	10	(resonant adj frequency) same (constant adj phase adj difference)	US-PGPUB; USPAT; EPO	OR	ON	2005/01/21 10:33
L12	1	"5,836,203".pn.	USPAT	OR	OFF	2005/01/21 11:01
L13	3	("4248092" "5003822" "5119343").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/21 11:03
L14	1	"6,041,642".pn.	USPAT	OR	OFF	2005/01/21 11:22
L15	4	4 and MHz	USPAT	OR	ON	2005/01/21 11:29

L16	29	(US-3611135-\$ or US-3718856-\$ or US-3828607-\$ or US-3840804-\$ or US-4015202-\$ or US-4447782-\$ or US-4686461-\$ or US-4713609-\$ or US-4783623-\$ or US-4792677-\$ or US-5027061-\$ or US-5057767-\$ or US-5107203-\$ or US-5130654-\$ or US-5444641-\$ or US-5672823-\$ or US-5789672-\$ or US-5929754-\$ or US-6084395-\$ or US-6106149-\$ or US-6189367-\$ or US-6208153-\$ or US-6351505-\$ or US-6370939-\$ or US-6439765-\$ or US-6820469-\$).did. or (US-6823720-\$ or US-6044694-\$ or US-5404743-\$).did.	USPAT	OR	OFF	2005/01/21 11:41
L17	7	16 and frequency with MHz	USPAT	OR	ON	2005/01/21 11:41
S1	1	"6041642".pn.	USPAT	OR	OFF	2004/10/19 10:47
S2	4	(73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)	USPAT	OR	ON	2004/10/19 10:50
S3	287	324/76.52.ccls.	USPAT	OR	OFF	2003/06/23 13:32
S4	12	324/76.52.ccls. and ((phase adj detect\$3) with control\$3)	USPAT	OR	OFF	2003/06/23 09:10
S5	0	10/075754	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/24 16:11
S6	0	"324"/\$.ccls. and ((piezoelectric adj resonator) with (flex\$3 with plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:52
S7	1	"324"/\$.ccls. and ((piezoelectric adj resonator) with plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/23 10:53
S8	34	324/76.56.ccls.	USPAT	OR	OFF	2003/06/23 13:36
S9	0	324/76.56.ccls. and ((constant fixed) near3 (phase adj difference))	USPAT	OR	ON	2003/09/24 12:56
S10	3	324/76.56.ccls. and (phase adj difference)	USPAT	OR	ON	2003/06/23 13:38
S11	314	"324"/\$.ccls. and ((frequency adj (detect\$3 measur\$3)) and (phase adj difference))	USPAT	OR	ON	2003/06/23 13:41

S12	58	"324"/\$.ccls. and ((frequency adj (detect\$3 measur\$3)) same (phase adj difference))	USPAT	OR	ON	2003/06/24 08:38
S13	36	"73"/\$.ccls. and (sensor with (mass adj load\$3))	USPAT	OR	ON	2003/06/23 14:15
S14	21	("73"/\$.ccls. and (sensor with (mass adj load\$3))) and (resonant adj frequenc\$3)	USPAT	OR	ON	2005/01/21 10:28
S15	0	((("73"/\$.ccls. and (sensor with (mass adj load\$3))) and (resonant adj frequenc\$3)) and (constant adj phase adj difference)	USPAT	OR	ON	2003/06/23 14:23
S16	0	((("73"/\$.ccls. and (sensor with (mass adj load\$3))) and (resonant adj frequenc\$3)) and (fixed adj phase adj difference)	USPAT	OR	ON	2003/06/23 14:23
S17	4	((("73"/\$.ccls. and (sensor with (mass adj load\$3))) and (resonant adj frequenc\$3)) and (phase adj difference)	USPAT	OR	ON	2003/06/23 14:24
S18	8	"3840804".URPN.	USPAT	OR	OFF	2003/06/23 15:50
S19	3	702/72.ccls. and ((frequency adj (detect\$3 measur\$3)) same (phase adj difference))	USPAT	OR	ON	2003/06/24 08:40
S20	0	702/75.ccls. and ((frequency adj (detect\$3 measur\$3)) same (phase adj difference))	USPAT	OR	ON	2003/06/24 08:41
S21	0	702/75.ccls. and ((frequency adj (detect\$3 measur\$3)) and (resonator))	USPAT	OR	ON	2003/06/24 08:41
S22	24	"702"/\$.ccls. and ((frequency adj (detect\$3 measur\$3)) and (resonator))	USPAT	OR	ON	2003/06/24 08:42
S23	959	(mass gravimetric) adj sensor	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:56
S24	166	((mass gravimetric) adj sensor) and (resonan\$2 adj frequency)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:50
S25	12	((((mass gravimetric) adj sensor) and (resonan\$2 adj frequency)) and (phase adj detect\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:51
S26	27	324/76.52.ccls. and (phase adj detect\$3)	USPAT	OR	ON	2003/09/24 12:57
S27	0	(324/76.52.ccls. and (phase adj detect\$3)) and ((mass gravimetric) adj sensor)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:57

S28	113	324/76.52-76.56.ccls. and (phase adj detect\$3)	USPAT	OR	ON	2003/09/24 12:59
S29	0	(324/76.52-76.56.ccls. and (phase adj detect\$3)) and ((mass gravimetric) adj sensor)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:57
S30	0	(324/76.52-76.56.ccls. and (phase adj detect\$3)) and ((mass gravimetric) adj sens\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:57
S31	1	(324/76.52-76.56.ccls. and (phase adj detect\$3)) and ((mass gravimetric) with sens\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2003/09/24 12:58
S32	2	324/76.49.ccls. and (phase adj detect\$3)	USPAT	OR	ON	2003/09/24 12:59
S33	1	10/034490	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/24 16:11
S34	141	73/24.06.ccls.	USPAT	OR	OFF	2004/05/18 10:20
S35	9	73/24.06.ccls. and (phase adj detect\$3)	USPAT	OR	ON	2004/05/18 11:35
S36	7	(73/24.06.ccls. and (phase adj detect\$3)) and (resonan\$4 near2 frequency)	USPAT	OR	ON	2004/05/18 11:35
S37	0	73/865 and (flex\$4 adj plate adj wave)	USPAT	OR	ON	2004/05/18 11:16
S38	0	73/865.ccls. and (flex\$4 adj plate adj wave)	USPAT	OR	ON	2004/05/18 11:17
S39	0	73/580.ccls. and (flex\$4 adj plate adj wave)	USPAT	OR	ON	2004/05/18 11:17
S40	4	73/580 and (flex\$4 adj plate adj wave)	USPAT	OR	ON	2004/05/18 11:17
S41	4	(73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)	USPAT	OR	ON	2005/01/21 10:12
S42	0	((73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase adj detect\$3)	USPAT	OR	ON	2004/05/18 11:36
S43	4	((73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase)	USPAT	OR	ON	2004/05/18 12:07
S44	4	((73/580 and (flex\$4 adj plate adj wave)) and (resonan\$4 near2 frequency)) and (phase)	USPAT	OR	ON	2005/01/21 10:12